Reducing the Risk of Smoke and Fire in Transport Airplanes: Past History, Current Risk, and Recommended Mitigations

Regulating, Training and Equipping for the Unthinkable

By:

John M. Cox, FRAeS
President
Safety Operating Systems



SMOKE, FIRE AND **FUMES IN**



PAST HISTORY, CURRENT RISK AND RECOMMENDED MITIGATIONS





A SPECIALIST PAPER BY THE ROYAL AERONAUTICAL SOCIETY AND THE GUILD OF AIR PILOTS AND AIR NAVIGATORS LONDON

FEBRUARY 2007

Smoke, Fire and Fumes in Transport Aircraft

Past History, Current Risk and Recommended Mitigations

A Specialist Paper prepared by Captain John M. Cox, FRAeS President, Safety Operating Systems (USA)

With original Appendices material by the Reviewing team of the RAeS Flight Operations Group (FOG) Committee

The Appendices must be read in conjunction with the Main Paper. They are complementary corollaries and an important part of this Specialist Paper



THE AUTHOR

A veteran major airline, corporate and general aviation pilot, Capitain Cox has flown over 14,000 hours with over 10,000 in command of jet airliners. Additionally, he has flown as an instructor, check pilot, and test pilot in addition to extensive involvement in global air safety. He holds an Air Line Transport Pilot Certificate with type ratings in the Airbus A320 family, the Boeing 737 family, the Fokker F28 and the Cessna Citation. He is an experienced accident investigator having been involved in six major NTSB investigations (the best known being the US Air 427 accident in Pittisburgh in 1994) and numerous smaller investigations. He holds an Air Safety Certificate from the University of Southern California. The international Federation of Airline Pilots Association (IFALPA) certified him as an international accident investigator. For over twenty years he served as an Air Safety Representative for the Air Line Pilots Association rising to the position of Executive Air Safety Chairman, ALPA's top safety job. ALPA awarded him their highest safety award in 1997. A Fellow of the Royal Aeronautical Society, he was awarded a Master Air Pilot Certificate by the Guild of Air Pilots and Air Navigators in October 2004. In December 2004 he retired from airline flying after 25 years to found Safety Operating Systems a Washington, DC, based aviation safety consulting film.



THE ROYAL AERONAUTICAL SOCIETY FLIGHT OPERATIONS GROUP

The Flight Operations Group committee consists of 30 members from both the civilian airline and military transport & flying training sectors, with Flight Safety and the Quality of Training throughout the Public Transport Industry being its primary objectives. The FOG is a discussion group that focuses on issues which primarily concern civil aviation, although it touches upon aviation safety in the armed forces, specifically where the safety issues could also be applicable to civilian operations. Its membership is highly respected within the civil aviation operations area and brings together a team with many years of experience in the field of aviation.

FLIGHT OPERATIONS GROUP COMMITTEE MEMBERS (2006-07)

P. Moxham (Chairman), Capt P.H.S. Smith, (vice-chairman), Sgn Ldr N.R. Scopes RAF (Secretary), Dr Kathy H. Abbott (FAA), Dr S.B. Bennett (Leicester University), B.M. Collings, Capt J.M. Cox (SOS inc), Capt H.P.C. Dibley (Airbus-Toulouse), F/O L. Foat (YMB), L.J. Ghibaut, M.P. Green (NATS), Capt P. Griffiths (CAA), Capt R.K.J. Hadlow, M.E.J. Hickmott, Capt J.C. Hutchinson, Capt R. Kohn, I. Newman (BA CSD), Capt S.J. Lawrence (Emitrates Airlines), Capt S.P.J. Lyttle, Capt R. Macdonaid, Capt D.A.J. Martin, Capt A.C. McLaughlan, K. O'Nell, SFE P.G. Richards, Capt M.C. Russell, Capt T.H. Sindail, Capt D.R. Smith (Alaska Airlines), Capt D.H. Thomas (EFT Jenez), P. Willis (AOA/BAA) and Capt C.N. White.

PARTICIPATING CONSULTANTS

P.P. Baker (Test Pilot), Capt G.L. Fretz, A.J.L. Lamb, R.C. Metcalfe, D.A. Nakamura (Boeing), Capt R. Scott, Dr J.D. Stevenson (USAF Ret) and Capt P. Wilson.

This Paper represents the views of the Specialist Group of the Society and of the Guild committee that was involved with its preparation. It has not been discussed outside the Learned Society Board or the Guild's Secretariat. As such, it does not necessarily represent the views of the Society or the Guild as a whole, or any other Specialist Group or Committee.



Risk, Perception, and Probability of Smoke, Fire and Fumes

What are the odds?

Probability

In-flight fire is the 4th leading cause of fatalities in commercial jet aircraft accidents 1987 – 2004 (Boeing Study)

- Loss of Control (LOC)
- Controlled Flight into Terrain (CFIT)
- Specific Component failure (nonpowerplant)

Probability is > 1 in 10,000

Probability

IATA STEADES DATA

36 months: Jan. 2002 to Dec. 2004

Total Air Safety Reports (ASRs) = 2,596


1701 of the 2596 events were in-flight occurrences of smoke

Probability

- > 1000 in-flight smoke events occur annually
- Resulting in >350 unscheduled or precautionary landings
- In-flight smoke rate is 1 in 5000 flights
- In-flight smoke diversion rate is 1 in 15,000 flights

Fatalities by CAST/ICAO Taxonomy Accident Category*


Fatal Accidents - Worldwide Commercial Jet Fleet - 1987 Through 2005



^{*} See page 19 for the CAST/ICAO category definitions



Worldwide Airline Fatalities, By Accident Type, 1995-2004




Terms

- AC 25-1309 1A
 - Catastrophic (not all fires are, but potential)
 - Extremely improbable
 - 1 x 10⁻⁹ or less
- Probability of diversion due to cockpit smoke could be a reasonably probable event and within the range of remote (Halfpenny)

History

 July 1785, Jean-François Pilâtre de Rozier's hydrogen balloon ignited and burned over the English Channel.

 Aviation's first fatal accident was an in-flight fire



Credits - 2001 National Air and Space Museum, Smithsonian Institution (SI Neg. No. A-4691)

1973 and B707 fires

Varig Flight 860, July 11, 1973

Cabin fire with heavy smoke

Landed in a field 70 second from Paris Orly

Crew and Passenger smoke inhalation

Open Flight Deck Windows did not provide sufficient visibility

Varig Flight 860



Pan Am Flight 160

- November 3, 1973
- Cargo Flight Hazardous Material Fire
- Smoke overwhelmed Flight Deck
 - Continuous Smoke Generation
- Flight Deck Window Opened Not Successful Landing

Air Canada Flight 797

- June 2, 1983 DC-9-30
- Fire began in Aft Lavatory Spread
 - Cause believed to be electrical near flush motor
- Smoke filled Cabin and Flight Deck
- Flight Deck Door Broken

Air Canada Flight 797

- F/A and Passengers Smell Smoke
- Pilots Hear Circuit Breaker Trip
 - Reset once
- Smoke Increases
- CO₂ Fire Extinguisher Discharged into Lavatory
 - Not effective
 - Not applied directly at base of fire

Air Canada Flight 797

- Fire and Smoke Spread
- First Officer Went Aft to Investigate
- Flight Deck Door Left Open
- First Officer Switched Off Airconditioning Packs
 - Ventilation flow aft stopped
- Flight Deck Windows Opened and Closed
 - Reversed
 - High Noise

Air Canada 797



Changes

- Lavatory Fire Detection
- Full Face Masks Portable Crew Oxygen
- Protective Breathing Equipment
- Fire Blocking Seats (650,000)
- Halon Fire Extinguisher (2 2.5 lb)
- AC 25-9
 - Smoke Testing

Single Failure – Multiple Results



Single Failure – Multiple Results

- RAF Nimrod Example
 - #1 Engine DC Wire Loom Failure
 - Uncommanded Opening of #4 Engine Starter
 - Starter Turbine Valve Over Speeds
 - Air from operating engine
 - Starter Turbine Disintegrates
 - Turbine Escapes Housing
 - Turbine Punctures Fuel Tank
 - Severe Fuel Tank Fire
 - Ditching in the North Sea All Survived

Single Failure – Multiple Results

- Swiss Air 111
 - In-Flight Entertainment Systems Wiring
 - Likely initial location of arcing and/or fire
 - Spread to Nearby Wiring
 - Multiple system failure
 - Flight instruments failed
 - Unrelated Systems Affected by Initial Event

Location, Location, Location

- Inaccessible Areas Contain
 - Wiring
 - Thermal Acoustic Blankets
 - Contaminates
 - Conductive
 - Non-Conductive
 - Liquids
 - Corrosion Block
 - Lubricants







Unprotected Area of Aircraft

- Examples were all unprotected areas
 - No Detection
 - No Suppression


Most in-flight fires are in unprotected areas

2/3 In-Flight Fires are Electrical

- 2003 MITRE Report
 - 81 Large Transports Inspected
 - 40 wiring anomalies PER airplane average
 - 39 Small Transports Inspected
 - 58 wiring anomalies PER airplane average

- FAA Report 1995 to 2002
 - 397 Wiring Failures
 - 84% burned, loose, damaged, shorted, failed, chafed or broken wires
- TWA 800 NTSB Report
 - Examined 25 Transport Aircraft
 - 24 had metal shavings in wiring bundles
 - 5 showed evidence of heat or fire damage

- Supplemental Type Certificate
 - FAA Study of 316 Circuit Breakers
 - Many lugs contained two different size wires
 - Violation of 14 CFR Part 25.1357
 - Swiss Air 111 IFE
 - No wiring routing drawings
 - By-Passed Cabin Bus Switch



Arc Fault Circuit Breaker

Vision Assurance

- Vision to Maintain Control
- Navigate
- Accomplish Checklist
- Land



Full Face Masks


- Full Face Masks
 - Better protection
 - Better ability to purge
 - Eliminates ability to only use mask
 - FedEx 1406
- Sufficient Oxygen Supply for Landing
 - MEL does not consider Smoke/Fire/Fumes



Halon Fire Extinguishers

- FAA Tests
 - 2 ½ lb did not extinguish fire
 - 5 lb could have extinguish fire







FAA Tech Center

- FAA Tests
 - Line Flight Attendants
 - With 2 ½ lb Halon Fire was not extinguished
 - PBE problems
 - Smoke Migration
 - Training was not adequate

- Smoke
 - Toxicity
 - Improved but still a serious consideration
 - Location
 - Access
 - Remove panel or "ax it"
 - Collateral Damage
 - Amount
 - Continuous
 - Combustion ongoing

- Use of the Ax
- When?

Where?

■ How?











Checklists

- Various manufacturers various checklists
 - e.g. Testing with a smoke filled simulator required 25 minutes to complete electrical smoke checklist

- Confusion
 - Most complex checklist for use in the highest stress time.

Flight Safety Foundation Template

INDUSTRY TEMPLATE Smoke/Fire/Fumes Checklist Step Sequence and Rationale

The numbered items below comprise the industry template for an integrated, non-alerted SFF checklist. The accompanying rationales include the purpose of each step and the reason for each step's sequential placement within the checklist.

Protect the flight crew then assess the situation

-1	Diversion may be required
Rationale	This step establishes the mindset that a diversion may be required. We use the word 'may' because the crew should initiate a diversion before a preliminary assessment of the immediate fire/source. This step is placed at the beginning the checklist to establish immediately in the minds of the flight crew a diversion may be required.
2	Oxygen Masks (if required)ON, 100%
3	Smoke Goggles. (If required)ON
Rationale	These steps protect the fight crew from smoke inhalation and furne absorption. Oxygen masks are on at 100% so supply does not mix with smoke or furnes. Steps are sardy in the checklist to ensire the cockpit crew is protect immediately after smoke/furnes detection. Steps are separate because they may be separate devices. The flight of should don oxygen masks any time smoke/furnes are detected on the flight dock. The trigger lot don masks is the sm not the checklist. The steps are not recail nor are they required because oxygen masks and smoke goggles may not required for all smoke events. We rely on cockpit crew judgment to decide when to don the devices. The "if requir statement also permits arines to be flexible in training when to don the masks or to leave the timing decisions to cockpit crew's discretion.
	San Salah Sananalahan Salahka
4 Rationale	Crew & Cabin Communications
reaccitate	rms step introduces interly co-distination and commission between the capital and cooking clear. The step is placed and all to not dealy domining of oxygen masks and goggles if required. The communication with cabin crew is an important resource for assisting the cockpit crew with source identification confirmation of elimination.

Source elimination steps Rationale These steps quickly isolate probable ignition sources based on historical fleet data or analysis. The cockpit crew is

	expected to take action without delay and without assessment. The steps are placed early in the checklist to immediately isolate probable sources to reduce the risk of event escalation.
Smoke Removal Reminder	At any time smoke or fumes becomes the greatest threat accomplish SMOKE OR FUMES REMOVAL checklist. Page x.x.
Rationale	Smoke removal should be accomplished only when the smokeflumes are the greatest threat or when the source is confirmed extinguished. Smoke removal may change the airflow and make the situation worse by faming an ignition source or it may mask the source. Smoke removal steps must be dearly identified and be easy to find. The removal steps may be left out of the checklist to keep the checklist uncluttered and short.
Issue	All manufacturers need to review the smoke removal checklist to ensure compatibility with this new SFF checklist.
6	Source is immediately obvious and can be quickly extinguished: If Yes, Go to Step 7. If No., Go to Step 9.
Rationale	This step is an immediate assessment of the source and situation without waiting for the effect of initial actions. The crew must determine if the source is extinguishable. The outcome of the assessment is a decision to extinguish the source or initiate a diversion.

If possible, remove power from affected equipment by switch or circuit breaker on the flight deck or in the cabin. After source is identified the crew should use all available resources to actively extinguish the source. This step comes

after the source is identified

Flight Safety Foundation Template

Source is visually confirmed to be extinguished: If Yes, Consider reversing initial manufacturer steps Go to Step 17. If No, Go to Step 9.
The crew must confirm that the source is extinguished. The outcome of the assessment is a decision the source is extinguished or to continue the checklist. This step is placed early in the checklist to prevent escalation of the event.
Remaining minimal essential manufacturer action steps (do not meet initial step criteria) but are probably ignition sources based on historical fleet data or analysis.
Additional manufacturer action steps that do not meet the "initial actions" criteria outlined in the SFF philosophy. For example, steps that make the cabin dark or may interfere with source identification. No further assessment should be made prior to diversion
Initiate a diversion to the nearest suitable airport while continuing the checklist.
The cockpit crew should not delay a diversion if the source remains unknown or cannot be extinguished. The step is placed here to get the airplane headed toward a suitable airport.
If the SFF situation becomes unmanageable consider an immediate landing.
The purpose of this warning is to remind the crew an immediate landing may be required if the situation deteriorates. The step is placed here after the initial probable source elimination steps have been accomplished, but before the additional source elimination steps which may be lengthy.

Additional source identification/elimination steps

11	Landing is imminent: If Yes, Go to Step 16. If No, Go to Step 12.
Rationale	if landing is imminent, the crew should stop the checklist and focus on landing the airplane without the added workload and distraction of doing this checklist. This step is placed here because all probable source isolation steps have been accomplished.
12	XX system actions
13	YY system actions
14	ZZ system actions
Rationale	Additional source identification and isolation guidance may be required when the airpiane is far from a suitable landing site. These system steps are presented here to systematically isolate an unknown source. These steps come talle in the checklist after a diversion was initiated because they may take time. The sequence of these steps is determined by the greatest hazard they pose to the airpiane.
15	Smoke/fire/fumes continue after all system related steps are accomplished: Consider Landing Immediately Go to Step 16.
Rationale	This is the final assessment step in the checklist. The outcome of the assessment is an immediate landing or landing at a

Follow-up actions

suitable airport if the additional steps identified the source.

16	Review operational considerations.
Rationale	Operational considerations provide information to support crew decision making. The cockpit crew may need to be
	reminded to review considerations that may affect continued flight operations and decisions. Operational considerations
	may vary by airplane model and may be lengthy so should be provided outside of the checklist.

Flight Safety Foundation Template

PHILOSOPHY AND DEFINITIONS

Industry Checklist Template for Smoke/Fire/Fumes

This philosophy was derived by a collaborative group of industry specialists representing aircraft manufacturers, airlines/operators and professional pliot associations. The philosophy was used to construct the Smoke/Fire/Furnes Checklist Template.

General

- The entire crew must be part of the solution.
- For any smoke event, time is critical.
- The Smoke/Fire/Furnes Checklist Template:
 - Addresses smoke/fire/fumes events (smoke/fire/fumes event not annunciated to the flight crew by aircraft detection systems);
 - Does not replace alerted checklists (e.g., cargo smoke) or address multiple events;
 - Includes considerations to support decisions for immediate landing (an overweight landing, a failwind landing, a diffching, a forced off-airport landing, etc.); and,
 - Systematically identifies and eliminates an unknown smoke/fire/fumes source.
- Checklist authors should consider a large font for legibility of checklist text in smoke conditions and when goggles are worn.
- At the beginning of a smoke/fire/furnes event, the crew should consider all of the following:
 - Protecting themselves (e.g., oxygen masks, smoke goggles);
 - Communication (crew, air traffic control);
 - Diversion: and.
 - Assessing the smoke/fire/fumes situation and available resources.

Initial Steps for Source Elimination

- Assume pilots may not always be able to accurately identify the smoke source due to ambiguous cues, etc.
- Assume alerted-smoke-event checklists have been accomplished but the smoke's source may not have been eliminated.
- Rapid extinguishing/elimination of the source is the key to prevent escalation of the event.
- Manufacturer's initial steps that remove the most probable smokerfumes sources and reduce risk must be immediately available to the crew. These steps should be determined by model-specific historical data or analysis.
- Initial steps:
 - Should be guick, simple and reversible;
 - Will not make the situation worse or inhibit further assessment of the situation; and.
 - Do not require analysis by crew.

Timing for Diversion/Landing

- Checklist authors should not design procedures that delay diversion.
- Crews should anticipate diversion as soon as a smoke/fire/fumes event occurs and should be reminded in the checklist to consider a
- After the initial steps, the checklist should direct diversion unless the smokerfire/fumes source is positively identified, confirmed to be extinguished and smoke/fumes are dissipating.
- The crew should consider an immediate landing anytime the situation cannot be controlled.

Smoke or Fumes Removal

- This decision must be made based upon the threat being presented to the passengers or crew.
- Accomplish Smoke or Furnes Removal Checklist procedures only after the fire is extinguished or if the smoke-furnes present the greatest threat.
- Smoke/fumes removal steps should be identified clearly as 'rémoval steps' and the checklist should be easily accessible (e.g., modular. shaded, separate, stand-alone, etc.).
- The crew may need to be reminded to remove smoke/fumes.
- The crew should be directed to return to the Smoke/Fire/Furnes Checklist after smoke/furnes removal if the Smoke/Fire/Furnes Checklist was not completed.

New Format Checklist

EXAMPLE OF AN INTEGRATED, NON-ALERTED SMOKE, FIRE, AND FUMES CHECKLIST United Airlines A319/A320 Aircraft

	SMOKE, CABIN/COCKPIT
■ Oxygen mas	ks and regulatorsOn
 Crew and flig 	ht attendant communicationsEs
■ Cabin fans sw	ritch
 Blower switch 	١٥
	10
	and cabin switch
WARNING: Do	o not delay descent or diversion to find the smoke source.
12.50	CONTINUED FROM QRC
If de	nse smoke at any time, accomplish reverse side.
REFERENCE AC	CTION:
	equipment smoke/fire is suspected;
■ Emergence	ey exit light switch
	al switch installed:
	nercial switch
If commercia	nl switch is not installed:
	e switch
	ator 2 switch
	fore landing gear extension:
	enerator 2 switch
	us tie switch
	END OF CABIN OR GALLEY EQUIPMENT SMOKE
	smoke is suspected;
 APU bleed 	d switch
	vitch
	vitch
■ Pack 1 sw	fitch
If smoke do	es not decrease:
	1 switch
	2 switch
-	heat aft isolation valve switch
If smoke per	rsists: 2 switch
- Pook 1	
■ Pack 2	
■ Pack 2 ■ Blowe	r switch
■ Pack 2 ■ Blowe ■ Extrac	at switch
■ Pack 2 ■ Blowe ■ Extrac	

Ventilation and Open Windows



Open Window

- 70 Seconds from Runway
- Open Window did NOT Provide Sufficient Visibility
- High Noise
- Reverse Air Flow
 - Cabin Air into Flight Deck
- Visibility is Proportional to Increase Flow Rate
 - Double the rate double the visibility

Conclusions

There are going to be in-flight fires

 Multiple layers of mitigation are necessary

- Implementation
 - FAA NPRMs
 - Wiring & Fuel Tank

Conclusions

- Fire is an unexpected event
- Fire is a very high stress event

 Fire may be from an unexpected source





Most Recent Examples











RAF Nimrod September 2006 Afghanistan



















What are we going to do about it?



Implementation

- Operators
 - FSF checklist template
 - Eliminate open window
 - Retrofit arc fault circuit breakers
 - Improved wiring maintenance
 - Improved thermal acoustic blanket maintenance
 - Vision assurance
 - Improved flight crew training
 - Mark location of minimum damage for crash ax

Implementation

- Manufacturers
 - Adopt FSF checklist template
 - Eliminate open window
 - Install arc fault circuit breakers
 - Improve wiring maintenance
 - Improve acoustic blanket maintenance
 - Install vision assurance technology
 - Improve flight crew training

Implementation

- Regulators
 - Require arc fault circuit breakers
 - Improved wiring maintenance
 - Improved thermal acoustic blanket maintenance
 - Require continuous flight deck smoke testing

